

# BenchBlotter™

## Benchmark Platform Rocker

**novatech**  
INTERNATIONAL

sales@novatech-usa.com  
www.novatech-usa.com  
Tel: (866) 433-6682 Fax: (866) 433-6684  
Tel: (281) 359-8538 Fax: (281) 359-0084



- + Optimized for blot washing and gel staining/destaining
- + Gentle mixing (12 rpm and +/- 8° tilt)
- + Compact, low profile design
- + Dual platform option expands workspace
- + Safe for incubator/cold room use

### Technical Data

<b>Speed:</b>	Fixed at 12 rpm Fixed at 10 rpm (230V)
<b>Tilt Angle:</b>	+/- 8°
<b>Platform Size:</b>	30x30 cm / 12x12 in.
<b>Work Surface:</b>	Non-Skid Rubber Mat
<b>Load Capacity:</b>	3.2 kg / 7 lbs.
<b>Operating Temp. Range:</b>	+4° C to +65° C
<b>Dimensions:</b>	34 x 30 x 12 cm 13.5 x 11.8 x 4.7 in.
<b>Weight:</b>	3 kg / 6.5 lb
<b>Warranty:</b>	2 Years
<b>Electrical:</b>	115V AC, 60 Hz, 0.4A 230V AC, 50 Hz, 0.2A

The **BenchBlotter** is the first rocker to be specifically optimized with the ideal rocking speed and tilt angle for blot washing, gel staining/destaining and hybridization applications. Available with an optional dual platform accessory, the **BenchBlotter** offers a sizeable work space, while maintaining a compact footprint and low profile design.

Lightweight and easy to carry, it can be easily transported from the lab bench to a cold room or incubator.

The large load capacity (7 lbs.), optional dimpled mat for centrifuge tubes and multiple platform tie-down points, make this rocker suitable for a wide variety of general purpose applications.

### Ordering Information

<b>BR1000*</b>	<b>BenchBlotter Platform Rocker</b>
<b>BR1000-FLAT</b>	Non-Skid rubber mat (included)
<b>BR1000-DIMPLED</b>	Optional dimpled mat
<b>BR1000-STACK</b>	Optional stacking platform, with flat mat

\*To order a product in 230V, please add -230 to item number.

**Benchmark**   
Scientific