

Reusable Glass Pipets

Our SIBATA reusable glass pipets are meticulously manufactured for tolerances and accuracy.

Glass is a superior material for measuring samples with a wide variety of chemical compounds.

Compared to plastic, reusable glass pipets are autoclavable and sustainable with less waste.

These quality pipets offer markings and color coding that are permanently enameled to the glass.

Volumetric Pipets – To Deliver

Accurately transfer a specific volume of solution for which it is calibrated.

- Meet ASTM E-969 Class A Specifications and USP Standards for volumetric glassware

VOLUMETRIC PIPETS						
Cat. No.	Capacity (mL)	Tolerance (\pm mL)	Approx. Length (mm)	Color Code	Pack Qty.	Case Qty.
2040A-05	0.5	0.005	300	2-Black	12	72
2040A-1	1.0	0.006	345	Blue	12	72
2040A-2	2.0	0.006	355	Orange	12	72
2040A-3	3.0	0.01	360	Black	12	72
2040A-4	4.0	0.01	365	2-Red	12	72
2040A-5	5.0	0.01	375	White	12	72
2040A-6	6.0	0.01	390	2-Orange	12	72
2040A-7	7.0	0.01	410	2-Green	12	72
2040A-8	8.0	0.02	430	Blue	12	72
2040A-10	10.0	0.02	440	Red	12	72
2040A-13	13.0	0.03	460	White	6	36
2040A-15	15.0	0.03	460	Green	6	36
2040A-20	20.0	0.03	475	Yellow	6	36
2040A-25	25.0	0.03	480	Blue	6	36
2040A-50	50.0	0.05	540	Red	6	36
2040A-100	100.0	0.08	600	Yellow	6	36



Volumetric Pipets - Wide-Tip Opening – To Deliver

Ideal for water treatment facilities, winemakers, tissue culture work and essential oil testing

- Meet ASTM E-969 Class B Specifications for tolerance
- Wide tip opening facilitates rapid fill and drain of viscous liquids, slurries and suspensions
- No drawn tips on 1, 2 & 5mL sizes. Standard drawn tips on 10 – 100mL sizes

VOLUMETRIC PIPETS - WIDE-TIP OPENING						
Cat. No.	Capacity (mL)	Tolerance (\pm mL)	Approx. Length (mm)	Approx. Tip I.D. (mm)	Pack Qty.	Case Qty.
2040-1-1.9MM	1.0	0.01	320	1.9	12	72
2040-2-2.4MM	2.0	0.01	330	2.4	12	72
2040-5-3MM	5.0	0.02	346	3.0	12	72
2040-10-3MM	10.0	0.02	440	3.0	12	72
2040-20-3MM	20.0	0.03	478	3.0	6	36
2040-25-3MM	25.0	0.03	475	3.0	6	36
2040-50-3MM	50.0	0.05	538	3.0	6	36
2040-100-3MM	100.0	0.10	605	3.0	6	36

Serological Pipets Graduated with calibration marks for delivering variable volumes of solution as needed

Mohr Measuring Pipets – To Deliver, DRAIN OUT

- Meet ASTM E-1293 Style 1, Class A Specifications and USP Standards for volumetric glassware

MOHR MEASURING PIPETS							
Cat. No.	Capacity (mL)	Tolerance (\pm mL)	Graduation Interval (mL)	Approx. O.D. x Height (mm)	Color Code	Pack Qty.	Case Qty.
2010A-5	5.0	0.02	0.1	8 x 365	Blue	12	72
2010A-10	10.0	0.03	0.1	10 x 370	Orange	12	72
2010A-25	25.0	0.05	0.1	13 x 455	White	12	72

Serological Pipets – To Deliver, BLOW OUT

- Meet ASTM E-1044 Style 1, Class A Specifications

SEROLOGICAL PIPETS							
Cat. No.	Capacity (mL)	Tolerance (\pm mL)	Graduation Interval (mL)	Approx. O.D. x Height (mm)	Color Code	Pack Qty.	Case Qty.
2011A-01-C	0.1	0.0025	0.01	6 x 300	White	12	72
2011A-1-C	1.0	0.01	0.01	7 x 360	Yellow	12	72
2011A-2-D	2.0	0.01	0.1	7 x 360	Green	12	72
2011A-5	5.0	0.02	0.1	8 x 365	Blue	12	72
2011A-10	10.0	0.03	0.1	10 x 370	Orange	12	72
2011A-25	25.0	0.05	0.1	13 x 455	White	12	72

Serological Pipets-Wide-Tip Opening – To Deliver, BLOW OUT

Ideal for biochemical applications

SEROLOGICAL PIPETS - WIDE-TIP							
Cat. No.	Capacity (mL)	Tolerance (\pm mL)	Graduation Interval (mL)	Hole Diameter x Length (mm)	Color Code	Pack Qty.	Case Qty.
20200-11A	1.0	0.02	0.2	1.5 x 350	Red	12	72
20200-51A	5.0	0.1	0.5	2.0 x 350	Blue	12	72
20200-101A	10.0	0.2	0.5	3.0 x 350	Orange	12	72
SEROLOGICAL PIPETS - GRADUATED TO THE TIP							
20140-10A	10	0.05	0.1	1.4 x 366	-----	12	72
20140-20A	20	0.1	0.1	1.5 x 435	-----	12	72

